

Canon
advanced simplicity®

iR1018 / iR1022F / iR1022iF

**Multifunctional devices,
for truly effortless communication**



Introducing the compact A4 network printers that think big

Desktop all-rounders that pack a punch

Make business communication a pleasure, with the deceptively compact iR1018/iR1022 Series. Combining the functionality of a variety of individual devices in one space-saving multifunctional unit, each solution packs a powerful punch. Advanced desktop communication has never been so easy.

Highly advanced features include:

- Compact desktop design
- 18-22 ppm B&W
- B&W and Colour scan
- Automatic duplex capability
- Maximum 1,100 sheet capacity
- iR1018/1022F offer optional network printing (Standard on iR1022iF)
- iR1022F and iR1022iF feature Super G3 Fax with PC Fax function
- iR1022iF features Colour Send and File conversion to TIFF, PDF or JPEG



Impressive, simple-to-use communications

For superb versatility and efficiency, look no further than the iR1018/iR1022 Series. Choose from black & white print, copy and fax capabilities, or scan and send in vibrant full colour.

With printing at up to 22ppm and crisp 1200 equivalent x 600dpi resolution, you'll never sacrifice quality for speed.

Automatic duplexing allows printing on both sides of the page reducing costs and wastage. The Automatic Document feeder (standard on iR1022F & iR1022iF) supports double-sided reading to reduce user intervention and document handling.

Easy network integration

The iR1018/iR1022 Series provide standard local print capabilities via an integrated USB2.0 port. The iR1022iF comes network print - ready via ethernet, utilizing Canon's advanced performance UFR II Lite printer language. This can be optionally added to both iR1018 and iR1022F models. An optional PCL print kit is also available for all three models, to meet the demands of a PCL environment.

Fax at Super G3 speed

Super G3 Fax technology is standard on both iR1022F and iR1022iF. And with the 50-sheet Automatic Document Feeder, you can manage and fax bulky documents with ease.

Powerful communication

Open up a whole new world of possibilities with the iR1018/iR1022 Series. You'll be able to scan and send information direct from the device to numerous locations. Files can be converted to TIFF, PDF or JPEG format and routed to your specified destination, whether that's an email address, FTP site, desktop folder, iFAX or even a document management database. In fact, the iR1022iF is so advanced, it can even compress PDF's to just 10% of their original size without loss of quality.

Colour Send

The iR1022iF's Colour Send feature makes sharing information fast, secure and inexpensive by eliminating the expense of printing, sending and storing paper documents. Communication becomes super clear and vibrant.

Security Management

Utilise the Department ID mode to set volume limits and control access to print, copy and scan features for up to 1,000 individuals or groups.

Remote User Interface

Through Canon's standard feature, selected users can check with job status, system status, add new users, and more, all in real-time from a standard web browser.

iW Management Console

This highly-scalable, web-based software utility, simplifies set-up and management of devices on a network. The innovative e-Maintenance facility can also be added, to monitor devices and automatically request a technician visit, if required.

Clever energy-saving sensor

Canon's innovative On Demand fusing technology enables an energy saving sleep mode when the machine is no in use – and when needed – fully operational again in seconds. Energy consumption is reduced, without affecting productivity.

Products of the latest environmentally friendly manufacturing techniques, the iR1018/iR1022 Series comply with the European RoHS directive*, prohibiting the use of lead and hazardous substances in manufacturing. Each model also conforms to the International Energy Star Program.



iR1022iF with additional 500 sheet tray, document feeder and Super G3 fax

imageRUNNER iR1018 / iR1022F / iR1022iF specifications



iR1022iF pictured with optional paper tray

Model	iR1018	iR1022F	iR1022iF
Speed*	18ppm	22ppm	22ppm
Memory	128MB	128MB	256MB
Print	Yes**	Yes**	Yes (network ready)
Copy	Yes	Yes	Yes
B&W Colour Scan	Yes	Yes	Yes
Fax	No	Yes	Yes
Colour Send	No	No	Yes
Automatic Document Feeder	No	Yes	Yes

** Standard local print via USB or optional network kit

TYPE:	DESKTOP
Maximum Original Size:	A4
Copy Sizes:	
Cassette:	A4
Stack Bypass:	A5 - A4, Envelopes
Resolution:	
Copying:	600dpi x 600dpi, 12 (equivalent) x 600dpi
Printing:	1200dpi equivalent x 600dpi (PCL, UFR II LT) 256 Gradations
Copy/Print Speed:	A4: 18cpm (iR1018), 22cpm (iR1022F / iR1022iF)
Magnification:	
Zoom:	50-200%
Fixed:	50%, 70%, 81%, 86%, 100%, 115%, 122%, 141%, 200%
First copy time:	8.0 sec or less (iR1018), 12.0 sec or less (iR1022F & iR1022iF)
Warm-Up Time:	Approx. 16 seconds
Multiple Copies/Prints:	1 to 99 sheets
Duplexing:	Automatic: Stackless
Paper weight:	
Cassette:	64 to 90g/m2
Stack Bypass:	56 to 128g/m2
Duplex:	64 to 80g/m2
Cassette:	A4
Paper Capacity (80g/m2):	
Standard:	500 sheets x 1 cassette
Stack Bypass:	100 sheets
Optional:	500 sheets x 1 cassette
Max. Total paper capacity:	1,100 sheets

CPU:	Canon Custom Processor: 192MHz
Memory:	128MB (iR1018 / iR1022F) 256MB (iR1022iF)
Interface :	Ethernet (100Base-TX/10Base-T), USB2.0
Power Supply:	220V AC to 240V AC±10% (50/60Hz)
Power Consumption (W):	1.0kW max.
Dimensions (WxDxH):	520 x 457 x 378 mm (iR1018) 520 x 457 x 453 mm (iR1022F / iR1022iF)
Weight	Approx. 22.0kg (iR1018) Approx. 24.1kg (iR1022F / iR1022iF)
SEND FUNCTION (STANDARD FOR iR1022iF ONLY)	
Scan Speed with DADF:	BW: 20ipm A4 300dpi Colour: 6ipm A4 300dpi
Scan Resolution:	BW: 200x100dpi, 200dpi, 200x400dpi, 300dpi, 400dpi, 600dpi Colour: 100dpi, 150dpi, 200dpi, 300dpi (JPEG), 300dpi (High compression PDF)
Destinations:	E-Mail/Internet FAX (SMTP), PC (SMB, FTP)
Address book:	Local (Max.200)
File Format:	Single: (BW) TIFF, PDF - (Colour) JPEG, High compression PDF Multi: (BW) TIFF, PDF - (Colour) High compression PDF
PRINTER FUNCTION	
PDL:	UFR II LT (Standard), PCL 5e/6 (Option)
Resolution:	1200dpi (equivalent) x 600dpi
Memory:	128MB (iR1018 / iR1022F), 256MB (iR1022iF)
CPU:	Canon Custom Processor: 192MHz (Uses Main Unit CPU)
PCL Fonts:	Roman113 (including Barcode Fonts)

Supported OS:	
PCL:	Windows 98/Me/2000/XP/2003 Server
UFR II LT:	Windows 98/Me/2000/XP/2003Server, Mac OS 10.2.8-10.4.3
Interface (Standard):	Ethernet (100Base-TX/10Base-T), USB 2.0
Network Protocol:	TCP/IP (LPD/RAW/ Port 9100)
DADF (STANDARD FOR iR1022F / iR1022iF)	
Paper size:	A4R, A5R, A5
Paper weight:	50 g/m2 to 105 g/m2
Max. Number of originals:	A5R to A4: 50 sheets (80 g/m2)
Document Scanning	
Speed (max.)	
Copy	iR1018: A4 18 ipm iR1022F / iR1022iF: A4 22 ipm
Scan	BW: 18ipm A4 300dpi Colour: 8ipm A4 300dpi
OTHER ACCESSORIES	
Network Ethernet Kit (Standard for iR1022iF)	
PCL Kit	
iR1018/22 Plain Pedestal	
Cassette Feeding Unit	
Card Reader-E1	
Card Reader Attachment	

All data is based on Canon's standard testing methods. ™ and ®: All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. Canon recommends you use Canon Media for the best results. Please check media (paper) compatibility list to see which variety of paper/media is recommended. Environmentally considerate production methods ensure that Canon complies with the European RoHS directives. Lead and hazardous substances are prohibited from the manufacturing process. In addition the machine conforms to the International Energy Star Program.



AUSTRALIA

Sydney

1 Thomas Holt Drive
North Ryde NSW 2113
Ph (02) 9805 2600
Fax (02) 9887 3137

Melbourne

33 Lakeside Drive
Burwood East VIC 3151
Ph (03) 9881 0000
Fax (03) 9881 0316

Brisbane

Southgate Corporate Park
18 Southgate Avenue
Cannon Hill QLD 4170
Ph: (07) 3909 5000
Fax: (07) 3909 5066

Adelaide

1 South Road
Thebarton SA 5031
Ph (08) 8201 9193
Fax (08) 8352 2810

Perth

68 Hasler Road
Osborne Park WA 6017
Ph (08) 9347 2258
Fax (08) 9242 4120

Canberra

98 Barrier Street
Fyshwick ACT 2609
Ph (02) 6206 5999
Fax (02) 6206 5933

NEW ZEALAND

Auckland

Akoranga Business
Park Akoranga Drive
Northcote
Ph (09) 489 0300
Fax (09) 489 0399